

93/11, 93/135QR, 93/168QR

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



Set of tools with Tool Trolley No 93/111

Tool Trolley No 93/6

Contents: premium set of tools "Made in Germany", 111-pce set

- 10 sockets 6.3 mm (1/4") No 40 hex sizes 5; 5.5; 6; 7 ;8; 9 ;10; 11;12; 13 mm

- 17 sockets 12.5 mm (1/2") No 52 hex sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
 - 1 ratchet No 415-2K 6.3 mm (1/4") ratchet angle 16.5° L.117 mm
 - 1 extension No 405/2 6.3 mm (1/4") L.54 mm
 - 1 extension No 405/6 6.3 mm (1/4") L.150 mm
 - 1 ratchet No 512-2K 12.5 mm (1/2") ratchet angle 10° L.265.5 mm
 - 1 extension No 509/5 12.5 mm (1/2") L.130 mm
 - 1 ratcheting bit-holder No 4008-1 size 1 female hex drive D 6.3 effective length 250 mm
 - 1 adapter No 3115/1 manually operated male square drive 1/4" male hex drive C 6.3
 - 1 bit holder No 412 6.3 mm (1/4") female hex drive female square drive L.25 mm
 - 7 star screwdriver bits size 10; 15; 20; 25; 27;30; 40 male hex drive C 6.3 L.26 mm
 - 5 TORX screwdriver bits T6; T7; T8; T9; T45 male hex drive C 6.3 L.25 mm
 - 1 flat cold chisel No 102/150 B.18 mm L.150 mm
 - 1 bit box No 1204/21-1 21-pc set
 - 1 snipe-nose pliers with cutter No 6529 5 200 L.200 mm head chrome plated, two-component grip
 - 1 slip-joint pliers No 6551 6 240 L.240 mm max. jaw opening 34 mm
 - 1 heavy-duty side-cutters No 6602 5 160 L.160 mm head chrome plated, two-component grip
-
- 15 OPEN-BOX combination spanners No 13 sizes 6; 7; 8; 10; 11; 12; 13;14; 15; 16; 17; 18; 19; 22; 24 mm
 - 5 OPEN-RATCH combination ratcheting spanners No 17 sizes 8; 10; 13; 17; 19 mm
 - 1 engineer's hammer No 10961 300 G 300 g L.300 mm
 - 1 electrician's penknife No 12320 L. mm
 - 1 tape measure No 12935/3 L.3 m
 - 3 TORX® screwdrivers DRALL+ No 4650 TORX T15; T20; T25
 - 1 flat-bladed screwdriver DRALL+ No 4620 4.0 mm
 - 1 electrician's flat-bladed screwdriver DRALL+ No 4628 2.5 mm
 - 2 cruciform-tip screwdriver DRALL+ No 4630 PH1; PH2
 - 1 9-pc set of ball-end tip hexagon socket screw keys No 10767/9



Tool Trolley No 93/6


- Two-stage safety logic:
- Central locking with a cylinder lock and fold-down key
- Toppo-proof - it is not possible to pull out more than one drawer at a time
- Two manoeuvring handles
- Wrap-around impact protection
- Resilient worktop made of ABS with compartments for small components
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.

- Can be enhanced with STAHLWILLE Standard and TCS inlays
- 6 easily removable drawers mounted in full extension rails with bearing cage guidance

Technical Information:

Code	98830119
EAN Code	4018754329991
Article Number	93/111
L [mm]	481 mm
b	877 mm
h	987 mm

Code	colour	Length mm	Width mm	Height mm	Dimensions	Number of drawers	Number of tools	 kg	 g
<u>98830119</u>	Anthracite grey, RAL 7016	481	877	987	481 x 877 x 987 mm	6	111	74	74000



Set of tools with Tool Trolley No 93/135QR

Set of tools in three TCS inlays

Contents TCS 1 817/3

10 sockets 6.3 mm (1/4") No 40 hex sizes 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm

17 sockets 12.5 mm (1/2") No 52 hex sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm

1 QuickRelease reversible ratchet No 415QR N, 1/4 ", ratchet angle 4.5° L. 117 mm
2 QuickRelease socket extensions No 405QR, 1/4" L.54+150 mm
1 QuickRelease reversible ratchet No 512QR N, 1/2 ", ratchet angle 4.5° L. 265.5 mm
2 QuickRelease socket extensions No 509QR, 1/2" L.130+255 mm
1 set of hexagon socket screw keys No 10765/9 sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm 9-pce set
1 adapter No 3115/1 manually operated male square drive 1/4" male hex drive C 6.3
1 bit holder No 412 6.3 mm (1/4") female hex drive female square drive L.25 mm
1 ratcheting bit-holder No 4008-1 size 1 female hex drive D 6.3 effective length 250 mm
1 bit box No 41978 31-pce set (ALARM)
1 twist drill cassette HSS 1-10 mm 19-pce set (ALARM)
1 magnetic lifter No 12600 270 G L.500 mm

Contents TCS 2 817/3

20 OPEN-BOX combination spanners No 13 sizes 6; 7; 8; 9; 10; 11; 12; 13;14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm
1 slip-joint pliers No 6551 6 240 L.240 mm max. jaw opening 34 mm
1 heavy-duty side-cutters No 6602 5 160 L.160 mm head chrome plated, two-component grip
1 safety knife No 12965N L.174 mm
1 combination pliers No 6501, L.200 mm two-component grip
1 snipe-nose pliers No 6529, L.200 mm two-component grip
1 tape measure No 12935/3 L.3 m

Contents TCS 3 817/3

6 TORX® screwdrivers DRALL+ No 4650, T10; T15; T20; T25; T27; T30
2 flat-bladed screwdrivers DRALL+ No 4620 4.0; 6.5 mm
2 cruciform-tip screwdriver DRALL+ No 4630 PH1; PH2
2 cruciform-tip screwdrivers DRALL+ No 4640 PZ1; PZ2
1 engineer's hammer No 10961 300 g with ashwood handle
1 plastic mallet No 10955, D.35 mm 376 g
1 cross-cut chisel No 103/150 B.16 mm L.150 mm
4 pin punches octagonal No 108, tip D. 3; 4; 5; 6 mm L.150 mm

1 centre punch, octagon No 105 D.10 mm, L.120 mm
1 flat cold chisel, oval No 102/200, B.24 mm L.200 mm

Tool Trolley No 93/6

Two-stage safety logic:

Central locking with a lateral cylinder lock and fold-down key

Topple-proof - it is not possible to pull out more than one drawer at a time

Two manoeuvring handles

Wrap-around impact protection

Resilient worktop made of ABS with compartments for small components

Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes

Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.


Can be enhanced with STAHLWILLE Standard and TCS inlays

6 easily removable drawers mounted in full extension rails with bearing cage guidance

Technical Information:

Code 98830114
EAN Code 4018754328482
Article Number 93/135QR

Code	colour	Length mm	Width mm	Height mm	Dimensions	Number of drawers	Number of tools	⚖️ kg	⚖️ g
<u>98830114</u>	Anthracite grey, RAL 7016	481	877	987	481 x 877 x 987 mm	6	135	87	8700



Set of tools with Tool Trolley No 93/168QR

Tool Trolley No 93/6

Contents: premium set of tools "Made in Germany", 168-pce set

Incl. MANOSKOP® 721QR/20 Quick torque wrench with permanently installed QuickRelease ratchet
40-200 N·m, click-type, dual stop signal, twin scale N·m/ft·lb

2 QuickRelease socket extensions No 405QR, 1/4" L.54+150 mm
1 bit holder 1/4" No 412 L.25 mm
1 universal joint 1/4" No 407 L.37 mm
2 sockets No 40 TX 1/4" E7; E8
1 Drive handle No 400QR, 1/4" L.150 mm two-component grip
10 sockets 6.3 mm (1/4") No 40 hex sizes 5; 5.5; 6; 7 ;8; 9 ;10; 11;12; 13 mm
8 screwdriver inserts 1/4" for female TORX® heads, No 44 KTXB; T8; T10; T15; T20; T25; T27; T30; T40
5 INHEX inserts 1/4" for socket cap screws No 44 K: Sizes 3; 4; 5; 6; 8 mm
1 QuickRelease reversible ratchet No 415QR N, 1/4 " , ratchet angle 4.5° L. 117 mm
1 sliding T-handle with sliding piece No 404QR 1/4" L.116 mm
1 reducing adapter No 513, 1/2" to 3/8" L.35 mm
1 extension No 427/3 6.3 mm (1/4") L.76 mm
1 ratchet 3/8" No 435-2K L.193 mm
1 sliding T-handle with sliding piece No 425QR 3/8" L.165 mm
1 universal joint 3/8" No 428 L.46 mm
1 reducing adapter 3/8" to 1/4" L.28 mm
1 extension No 427/3 6.3 mm (1/4") L.76 mm
15 3/8" sockets with hex drive No 456: 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm
4 sockets No 45 TX 3/8" sizes E8; E10; E12; E14
2 screwdriver bits for female TORX® fasteners No 49 TX 3/8" T25; T45
3 screwdriver bits for INHEX fasteners No 49 3/8" sizes 5; 6; 8 mm
4 screwdriver bits for female TORX® fasteners No 1054TX/2054TX 1/2" T40; T45; T50; T55
2 screwdriver bits for INHEX fasteners No 54 1/2" sizes 10; 12 mm
4 screwdriver bits for female TORX® fasteners No 54 TX 1/2" T40; T50; T55; T60
1 QuickRelease fine-tooth ratchet 1/2" No 512QR N80 L.265.5 mm
1 sliding T-handle with sliding piece No 506QR 1/2" L.300 mm
1 QuickRelease socket extension No 509QR/10, 1/2" L.255 mm
17 sockets 12.5 mm (1/2") No 52 hex, sizes 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 34 mm
1 hexagon socket screw key No 10760 CV 7 for INHEX fasteners, size 7 mm

5 OPEN-RATCH combination ratcheting spanners No 17, sizes 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm
4 IMPACT sockets No 2309 1/2", deep, slim, sizes 17; 19; 21; 22 mm
11 IMPACT sockets No 50 IMP 1/2", sizes 8; 10; 11; 12; 13; 14; 15; 16;17; 18; 19 mm
1 socket extension No 509/5 IMP 1/2" L.130 mm
5 IMPACT sockets No 51 IMP 1/2", deep, sizes 13; 15; 17; 18; 19 mm
3 wheel nut sockets No 51IMP K with plastic sleeves, sizes 17; 19; 21 mm
1 universal joint No 510 IMP 1/2" L.52 mm

1 telescopic concave mirror No 13120N L.310-750 mm
1 telescopic stainless steel mirror No 12921M L.171-699 mm
2 nutsplitters No 12615 for nut sizes 10-18; 19-27 mm
1 lever bar No 12770/2 L.185 mm
1 lever bar No 12770 L.260 mm
1 socket No 1062 1/2", size 27 mm for injection nozzles
1 heavy-duty side-cutters No 6602 5 140 L.140 mm
1 VDE combination pliers No 6501, L. 180 mm two-component grip
1 snipe-nose pliers with cutter No 6530 5 200 bent L.200 mm
1 slip-joint pliers No 6551 6 240 L.240 mm max. jaw opening 34 mm
1 electrician's penknife, blade L.90 mm No 12320
1 plastic lever No 12770 3 L.300 mm
1 Vernier calliper No 12900N, measuring range 150 mm
1 tape measure No 12935/3 tape length 3 m with lock

5 flat-bladed screwdrivers DRALL+ No 4621: 0.4x2.5x80, 0.5x3.5x90; 0.6x4.0x100; 1x6.5X140; 1.2x8.0X160 mm
2 cruciform-tip screwdrivers No 4631 PH1; PH2, long, two-component grip
3 cruciform-tip screwdrivers No 4632 PH1; PH2; PH3, two-component grip
1 carburettor screwdriver DRALL No 4724 0.6x3.5 mm
1 cruciform-tip screwdriver DRALL No 4734, PH2 L.25 mm one-component grip
1 screwdriver No 10506 0.8x4.0x300 L.350 mm

1 screwdriver No 10518 1.0x5.5x410 L.525 mm

1 magnetic retriever No 12600 270 G L.500 mm

1 claw retriever No 12922E L.540 mm

Tool Trolley No 93/6

- Two-stage safety logic:
- - Central locking with a lateral cylinder lock and fold-down key
- - Topple-proof - it is not possible to pull out more than one drawer at a time
- Two manoeuvring handles
- Wrap-around impact protection
- Resilient worktop made of ABS with compartments for small components
- Oil and acid resistant wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes
- Perforations from both sides for Hooks No 8031-8041, e.g. for larger tools.
- Can be enhanced with STAHLWILLE Standard and TCS inlays
- 6 easily removable drawers mounted in full extension rails with bearing cage guidance

Technical Information:

Code	98830123
EAN Code	4018754330119
Article Number	93/168QR
Number of tools	168

Code	Maße	Number of drawers	Number of tools	h	b	L [mm]
<u>98830123</u>	481 x 877 x 987 mm	6	168	987 mm	877 mm	481 mm

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

По вопросам продаж и поддержки обращайтесь: